

Personalization of Mobile Apps for Health Behavioral Change: Protocol for a Cross-Sectional Study

Laetitia Gosetto, Marta Pittavino, Gilles Falquet, Frédéric Ehrler

Submitted to: JMIR Research Protocols
on: April 18, 2022

Disclaimer: © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript	4
Supplementary Files	14
Figures	15
Figure 1.....	16
Multimedia Appendixes	17
Multimedia Appendix 1.....	18
Multimedia Appendix 2.....	18
CONSORT (or other) checklists.....	19
CONSORT (or other) checklist 0.....	19

Preprint
JMIR Publications

Personalization of Mobile Apps for Health Behavioral Change: Protocol for a Cross-Sectional Study

Laetitia Gosetto¹ MD; Marta Pittavino² PhD; Gilles Falquet¹ PhD; Frédéric Ehrler³ PhD

¹Centre Universitaire d'Informatique Geneva School of Economics and Management University of Geneva Carouge CH

²Information Science Institute and Research Center for Statistics Geneva School of Economics and Management University of Geneva Geneve CH

³Division of Medical Information Sciences University Hospitals of Geneva Geneve CH

Corresponding Author:

Laetitia Gosetto MD

Centre Universitaire d'Informatique

Geneva School of Economics and Management

University of Geneva

Route de Drize 7

Carouge

CH

Abstract

Background: Although mobile health apps (mHealth) has the potential to motivate people to adopt healthier behaviors, many of them fail to maintain these behavior over time. This long-term adherence can be improved by personalizing the proposed interventions. Based on the literature, we have created a conceptual framework guiding the selection of appropriate functionalities according to the user's profile.

Objective: This cross-sectional study aims to check if the relationships linking functionalities and profiles proposed in our conceptual framework are confirmed by the preferences of users collected through questionnaires.

Methods: An online questionnaire lead participants to discover several functionalities of a mobile app aiming to foster healthier behavior. The participants must select the 5 functionalities they consider as the most relevant to motivate a healthier behavior and evaluate them on a score ranging from 0 to 100.

Results: Data collection was conducted between July 2021 and December 2021.

Conclusions: This protocol will allow us to define the functionalities that are preferred by users according to their profile according to our conceptual framework.

(JMIR Preprints 18/04/2022:38603)

DOI: <https://doi.org/10.2196/preprints.38603>

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

✓ **Please make my preprint PDF available to anyone at any time (recommended).**

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain v

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in [http](#)

Original Manuscript

Preprint
JMIR Publications

Original Paper

Personalization of Mobile Apps for Health Behavioral Change: Protocol for a Cross-Sectional Study

Abstract

Background:

Mobile health apps (mHealth) have the potential to motivate people to adopt healthier behavior, but many fail to maintain this behavior over time. However, it has been suggested that long-term adherence can be improved by personalizing the proposed interventions. Based on the literature, we created a conceptual framework for selecting appropriate functionalities according to the user's profile.

Objective:

This cross-sectional study aims to investigate if the relationships linking functionalities and profiles proposed in our conceptual framework are confirmed by user preferences.

Methods:

An online questionnaire comprising several sections was developed to determine the mobile app functionalities most likely to promote healthier behavior. First, participants completed questionnaires to define the user profile (Big Five Inventory-10, Hexad Scale and perception of the social norm using dimensions of the Theory of Planned Behavior). Second, participants were asked to select the five functionalities they considered to be the most relevant to motivate healthier behavior and to evaluate them on a score ranging from 0 to 100.

Results:

Data collection was conducted between July and December 2021.

Analysis of responses began in January 2022, with the publication of results expected by the end of 2022.

Conclusions:

This study will allow to validate our conceptual model by defining the preferred functionalities according to user profiles.

Keywords: mHealth; personalization; mobile app; behavior change theory; gamification; functionalities

Introduction

Healthy lifestyle behaviors have increased the life expectancy of those who adopt them and help individuals to live not only longer, but better [1]. More specifically, adopting a healthy diet, maintaining a healthy weight, quitting smoking, drinking alcohol in moderation, and regular exercise are five behaviors associated with lower mortality. An increasing number of health apps aiming to

help people adopt better health behaviors are reaching the market annually, with over 35,000 health apps available in 2018 [2]. Smartphone apps offer new opportunities to adopt health-related behaviors by providing immediate access to information about one's health, reminders to take medication, or help track one's progress [3].

Several scales exist to measure the quality of these health-related mobile apps, such as the Mobile App Rating Scale [4] and the App Behavior Change Scale [5]. A common feature of these scales is to consider a mobile app's personalization as a quality factor. Indeed, personalization is an important aspect to consider when creating an app that enables behavioral change. For example, it has been shown that messages tailored to the user tend to be read more, recalled more, attract more attention, be better remembered, be a topic of discussion with others, and be perceived as personally relevant compared to untailed messages [6].

Development of a Mobile App Model for Behavior Change

Based on a previous literature review, we identified the personality traits more likely to adopt certain app functionalities [7]. These findings led to the development of a model indicating the type of features preferred according to a user profile. When designing a mobile app aiming at behavior change for health, designers can refer to our model as a guideline to know what functionalities they should privilege for their applications, given the profile of the intended users. For example, if a person is extroverted according to the Big Five, it will be relevant to privilege functionalities allowing comparison and cooperation between users [8].

Our model contains 17 functionalities presented in detail in the Multimedia Appendix 1. For the user profile, we relied on the most common classification dimensions found in the literature: personality profiles [8–16], game preference [11,17,18], and perception of social norm [19] (Table 1). Gender and age are also important and a recent review showed a difference in the type of functionality preferred according to gender, although no study in the review included individuals over 31 years [17].

One of the most popular scales to measure personality is the Big Five, which defines the user's personality according to 5 dimensions: openness, agreeableness, conscientiousness, neuroticism, and extraversion. Game preference was measured with the Hexad Scale model [18], which defines the user's gamer profile according to six dimensions: disruptor, achievers, free spirit, player, socializer, and philanthropist. For example, players motivated by extrinsic rewards who will do anything to earn a reward within a system. This type of profile is interesting to consider for apps that use gamification, which is also a concept widely used nowadays to incite behavioral change. We can define gamification as "the use of game design elements in non-game contexts" [20]. Indeed, gamification positively affects motivation, engagement and enjoyment [21]. Finally, the perception of social norm is the "individual's perception that other individuals important to the respondent believe that the respondent should perform the behavior of interest" [22]. This perception can help or hinder the performance of the behavior, depending on how the user's entourage perceives it. Therefore, it is important to consider this factor and, depending on this perception, different functionalities can be included.

Table 1. Profiles taken into account in our conceptual framework.

Profiles	Scale
Personality	Big Five
Game's preferences	Hexad Scale [18]

Perception of social norms	Theory of Planned Behavior [23] Action
----------------------------	--

Objectives

This study aims to validate our conceptual framework by investigating if the proposed relationships between the functionalities and profiles are reflected in the preferences of our target population in an experimental setting.

Methods

Ethics Approval

The University Ethics Commission has approved this study for ethical research at the University of Geneva (CUREG_2021-04-38).

Study Design

We performed a cross-sectional study to address our aims. Participants responded to an online questionnaire to define their profile. Then, they were presented with a series of prototyped functionalities to be ranked according to their preferences to analyze if they corresponded to those defined in our conceptual framework. We have chosen to contextualize the functionalities of adopting healthy diet and fitness apps as these issues allow to target a generic public. Indeed, the desire to stay fit is a behavior that most adults want to adopt. To ensure data are completely anonymous, participants' IP addresses were not collected. We tested questionnaire for usability and technical issues with 5 participants. This online survey is in accordance with the Checklist for Reporting Results of Internet E-Surveys [24].

Outcomes

The primary outcome is the preferred functionalities given the user profile. Secondary outcomes are the feature preferences related to past or current use of mobile health apps, and the preference of functionalities according to the participant's state of motivation to change behavior.

Study Population and Sample Size

The target population for this study included all individuals over 18 years who understood French. We chose to conduct the questionnaire in French as this population was not necessarily fluent in English and mainly native French speakers. An English language questionnaire would have introduced an element of bias as it might not have been correctly understood. Recruitment was conducted by posting messages on social networks (Facebook and Twitter) targeted at students at the University of Geneva, a young student population. The message indicated that we were seeking to recruit participants for an online study lasting 12 minutes as part of a research study conducted by the University of Geneva, with a focus on identifying user preferences based on their profile for a mobile app aimed at helping people get in shape. We also stated that the collected data remain completely anonymous.

For the calculation of the sample size, based on the hypothesis that altruistic people according to the Big Five prefer social networks [11,17], we used the multiple regression power calculation on R, with a $u=3$, $f^2=0.07$, a significance level=0.05, a power=0.9, and a variance=202.403. To estimate variance, we relied on a previous study [25] investigating the preference of users classified according to the Big Five on posters. More specifically, we looked at the variance of altruistic

participants (n=46) according to the Big Five on the average ratings of a poster representing a social network promoting blood donation (score from 0 to 100). Thus, we obtained a sample size of 206.

Procedure

Participants were asked to complete the online questionnaire developed by using Qualtrics software (Qualtrics, Provo, UT) (Multimedia Appendix 2). First, they completed the consent form describing the purpose of the study and the procedure and informing them of their right to withdraw from the study. They were asked to confirm that they have read and understood the consent form and agree to have their responses used in our research and scientific publications. They can then access the rest of the questionnaire if they accepted these clauses. If not, they were informed that without their consent, we cannot collect their data and must terminate the survey. Next, participants were asked to answer demographic questions. In the case of a participant under 18 years old, we explain that only those over 18 years can participate and therefore we cannot continue with the questionnaire. Eligible participants continued to answer the questionnaire online where they had to (1) respond to scales to measure their profile, and then (2) look at the 17 features, select 5, and indicate on a score from 0 to 100 how much these features would motivate them to get back in shape.

Measures and Measurement

Demographic questions

Participants were asked to indicate their gender, age, occupation, and level of education.

Questions about their use of mobile health apps

Participants were asked if they use mobile apps aiming at behavior change (such as to help them eat healthier or exercise) to find out if they were already familiar with mHealth apps and whether they already like certain functionalities. If so, we asked them to select which functionalities they used most often and those they never used. These questions allowed us to observe whether participants already familiar with mHealth prefer certain features, as well as whether they prefer the same features among the 17 proposed.

Profile Assessment

Big Five

To assess participants' personalities, we relied on the Big Five Inventory-10 scale in French (BFI-10-Fr), translated and validated by Courtois [26]. , With Cronbach's alpha coefficients ranging from 0.37 to 0.83, the internal scale reliability of the BFI-10 is low. This is because Cronbach's alpha is not designed to evaluate scales with a low number of items [26]. This scale is composed of 10 items, two items per Big Five dimension. Participants are asked to indicate on a 5-point Likert scale whether they strongly approve or strongly disapprove of statements about themselves. For example, "I see myself as someone who is reserved" or "I see myself as someone who is easily anxious". The score for each dimension is calculated by adding the scores for the two statements concerning the dimension after reversing the items.

This scale was chosen because it has a factorial structure identical to that of the full version of the BFI-Fr[26]. Therefore, it has the advantage of effectively measuring personality with a small number of items. As our protocol contains several scales, we preferred to choose the shortest valid versions to avoid participant fatigue with a too-long questionnaire.

Gamer profile

To identify participants' gamer profiles, we chose the Hexad Scale created and validated by Tondello

[18]. The internal scale reliability is good with Cronbach's alpha coefficient for each dimension ranging from 0.70 to 0.89 [18]. This scale consists of 24 items, 4 per dimension. Users must rate how well each article describes them on a 7-point Likert scale. For example, there are items such as "I like competitions, where a prize can be won" or "Interacting with others is important to me". Items are presented in a randomized manner and the score is calculated by adding the scores for each dimension.

Perception of social norm

For the perception of social norm, we chose two items concerning this dimension of the Theory of Planned Behavior questionnaire of Ajzen [23]. We adapted the items to the context of our mobile application, which is to eat healthier and do more physical activity. Thus, the two items are: "Most people who are important to me approve of the fact that I eat healthier and do more physical activity" and "Most people like me eat healthily and do physical activity". Participants were asked to respond to these statements on a 7-point scale ranging from "agree" to "disagree". The calculation was done by adding up the scores, with a high score indicating a heightened social norm perception.

Choice of functionalities

Presentation of the functionalities

From the literature, we identified 17 functionalities commonly proposed in behavior change apps. We then created a prototype for each of these functionalities. All functionalities and their definition are presented in the Multimedia Appendix 1. We chose a visual design as neutral as possible for the prototypes, i.e., in black and white with no images, only icons. This aims to minimize the bias due to design preference (i.e., Figure 1). The 17 prototype screenshots were presented randomly to the participants to avoid a primacy or recency effect. During the study, participants discovered every functionality one-by-one by its representation in an image and accompanied by a short description. Then, they chose the five functionalities they considered to be the most motivating to stay fit.

Explanation of choice

For each functionality selected, participants were asked to indicate how much that functionality would motivate them to adopt healthier behavior on a scale of 0 to 100. Then, they were asked why they chose these functionalities. Excluded functionalities will default to a score of 0.

Analysis

We will exclude incomplete questionnaire and analyze only questionnaires that have been completed entirely.

Demographic characteristics of all participants will be presented using descriptive statistics (mean, standard deviations, or frequencies and range) in a table. A table will also provide responses about their use of mobile apps for health.

Quantitative data

Primary outcome

We will perform logistic regression with the functionalities as dependent variables and with scores of the three profile scales as predictors. This analysis will allow us to understand the effect of the participants' scores on each of the three scales (BFI-10-Fr, Hexad Scale, and perception of the social

norm) on the five selected functionalities. By performing a logistic regression for each feature, it will be possible to determine whether the scores on the different scales predict the selection of the functionality.

In addition, we will perform a logistic ordinal regression with the motivation score of the functionalities chosen as dependent variables and with scores of the three profile scales as predictors. By performing this regression for each functionality motivation score, it will be possible to determine whether the scores on the different scales predict the functionality score.

Secondary outcome

To test whether there is a difference in functionality selection by age or gender, we will run logistic regressions with the choice of the functionality as the dependent variable and age or gender as the independent variable/s. In addition, we will perform an ordinal regression with the motivation score of the functionalities as the dependent variable and age or gender as the independent variable. There will be one regression per feature.

To test whether participants indicated that they preferred functionalities that are the same as the ones already used in their current mHealth app, we will run simple regressions with the feature they already use as the independent variable and whether this feature was chosen as the dependent variable. There will be one regression per feature.

We will use the Bonferroni correction for all our regressions to avoid a type 1 error.

Qualitative data

Qualitative analysis of the free text for the question regarding the explanation of their choice was performed and common themes extracted. Response categories will be defined when reading the responses.

Results

Recruitment and testing was conducted during July 2021. The deadline for the completion of the online questionnaire by participants was end of December 2021. We began analyzing the responses in January 2022 and the publication of results is expected at the end of 2022.

Discussion

This study will define the preferences of functionalities of users with a specific profile, e.g. what kind of functionalities are preferred by a user according to his/her personality. This protocol is important as its sample will enable to validate a model built on several previous studies and reviews. In turn, this will allow to build mobile apps that will be more efficient as adapted to each user. Thus, with this research, we will be able to better refine our conceptual framework, which will allow the mobile app designer to select features tailored to their users according to their profile and thus increase their involvement in the mobile health app.

The main interest of this research is that it gathers all the user profiles identified in the literature and all the functionalities generally implemented in mHealth. Indeed, we find studies allowing us to link personality and gamification elements [8,9,14], personality, gamer profile, and gamification elements [11], between personality and sensitivity to persuasion strategies [10,27] or between personality and Need for Cognition[28]. Moreover, these studies are not necessarily specific to the field of mobile apps for behavioral change. Some studies are more focused on preferences related to video games [9,14,29] and others on the type of messages and feedback [19,30].

Therefore, our research allows to combine what has been done previously in different studies and to corroborate their findings for mobile health apps regarding user preferences according to their specific profile.

Limitations

Our study has some limitations. We designed it to be as neutral as possible to limit preferences linked to the design of one of the prototyped functionalities. However, it is still possible that participants may prefer a certain functionality because they found it more visually attractive. Our results are also possibly not generalizable to the whole population. Indeed, since recruitment was done at the university and on social networks, it is expected that most participants were students aged 18-25 years. Finally, as the questionnaire was in French language and only individuals living in the canton of Geneva and the surrounding area were included, it can only be generalized to this population, i.e., French-speaking people of Switzerland and France.

Conclusion

It is important to help people adopt better health behaviors. Mobile apps are an interesting channel to support this effort because they integrate functionalities such as goal setting or self-monitoring that have been proven to foster behavior change, but app efficiency can be improved by responding to user preferences according to their specific profiles. Our study will provide an additional evidence base to propose an accurate personalization conceptual framework for the development of future mHealth apps.

Data availability

The datasets generated during the current study are available from the corresponding author upon reasonable request.

Acknowledgments

We thank all participants for their valuable contribution

Authors' contributions

LG conceived the study with the involvement and advice of FE and GF. MP is involved in the statistical analysis. All authors participated in the writing and reading of the manuscript and approved the final version.

Conflicts of interest

None declared.

Multimedia Appendix 1

Presentation of the functionalities selected for our conceptual framework with their definitions and description of the screenshot.

Multimedia Appendix 2

Print version of the online questionnaire.

References

1. Wingard DL, Berkman LF, Brand RJ. A multivariate analysis of health-related practices: a nine-year mortality follow-up of the Alameda County Study. *Am J Epidemiol.* 1982;116(5):765–775. PMID:7148802
2. Deep Knowledge Analytics. HealthTech Mobile Apps Landscape Overview 2018. 2018. <http://analytics.dkv.global/data/pdf/Health-Tech-Mobile-Apps-Analytical-Report.pdf> [accessed Apr 8, 2022]
3. Ernsting C, Dombrowski SU, Oedekoven M, O’Sullivan JL, Kanzler M, Kuhlmeier A, Gellert P. Using Smartphones and Health Apps to Change and Manage Health Behaviors: A Population-Based Survey. *J Med Internet Res.* 2017 Apr 5;19(4):1–12. doi: 10.2196/jmir.68384.
Stoyanov SR, Hides L, Kavanagh DJ, Zelenko O, Tjondronegoro D, Mani M. Mobile App Rating Scale: A New Tool for Assessing the Quality of Health Mobile Apps. *JMIR mHealth and uHealth.* 2015 Mar 11;3(1):1–9. doi: 10.2196/mhealth.3422
5. McKay FH, Cheng C, Wright A, Shill J, Stephens H, Uccellini M. Evaluating mobile phone applications for health behaviour change: A systematic review. *J Telemed Telecare.* 2018 Jan 18;24(1):22–30. doi: 10.1177/1357633X16673538
6. Skinner CS, Campbell MK, Rimer BK, Curry S, Prochaska JO. How effective is tailored print communication? *Ann Behav Med.* 1999;21(4):290–298. doi: 10.1007/BF02895960
7. Gosetto L, Ehrler F, Falquet G. Personalization Dimensions for MHealth to Improve Behavior Change: A Scoping Review. *Studies in Health Technology and Informatics IOS Press.* 2020 Nov;275:77–81. doi: 10.3233/SHTI200698
8. Halko S, Kientz JA. Personality and Persuasive Technology: An Exploratory Study on Health-Promoting Mobile Applications. In: Ploug T, Hasle P, Oinas-Kukkonen H, es. *Persuasive Technology.* Berlin, Heidelberg: Springer; 2010:150–161. ISBN: 978-3-642-13226-1
9. Jia Y, Xu B, Karanam Y, Voids S. Personality-targeted Gamification: A Survey Study on Personality Traits and Motivational Affordances. *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems; San Jose California USA; ACM; 2016* doi: 10.1145/2858036.2858515
10. Orji R, Nacke LE, Marco CD. Towards Personality-driven Persuasive Health Games and Gamified Systems. *Proceedings of the 2017 CHI Conference on Human Factors in Computing System; New York, NY, USA: ACM; 2017.*doi: 10.1145/3025453
11. Hallifax S, Serna A, Marty J-C, Lavoué G, Lavoué E. Factors to Consider for Tailored Gamification. *Proceedings of the Annual Symposium on Computer-Human Interaction in Play, Barcelona Spain: ACM; 2019* doi: 10.1145/3311350.3347167
12. Lipnevich AA, Gjicali K, Asil M, Smith JK. Development of a measure of receptivity to instructional feedback and examination of its links to personality. *Personality and Individual Differences.* 2021;169:110086. doi: 10.1016/j.paid.2020.110086
13. Heinström J. Five personality dimensions and their influence on information behavior. *Information Research.* 2003;9(1).
14. Johnson D, Wyeth P, Sweetser P, Gardner J. Personality, genre and videogame play experience. *Proceedings of the 4th International Conference on Fun and Games; New York, NY, USA: Association for Computing Machinery; 2012* doi: 10.1145/2367616.2367633
15. Ferro LS, Walz SP, Greuter S. Towards personalised, gamified systems: an investigation into game design, personality and player typologies. *Proceedings of The 9th Australasian Conference on Interactive Entertainment: Matters of Life and Death ;New York, NY, USA: Association for Computing Machinery; 2013* doi: 10.1145/2513002.2513024
16. Belmon LS, Middelweerd A, Velde SJ te, Brug J. Dutch Young Adults Ratings of Behavior

Change Techniques Applied in Mobile Phone Apps to Promote Physical Activity: A Cross-Sectional Survey. *JMIR mHealth and uHealth*. 2015 Nov 12;3(4):e4383. doi: 10.2196/mhealth.4383

17. Klock ACT, Gasparini I, Pimenta MS, Hamari J. Tailored gamification: A review of literature.

Int J Human-Computer Studies. 2020;144:1–22. doi: 10.1016/j.ijhcs.2020.102495

18. Tondello GF, Wehbe RR, Diamond L, Busch M, Marczewski A, Nacke LE. The Gamification User Types Hexad Scale. *Proceedings of the 2016 Annual Symposium on Computer-Human Interaction in Play*; New York, NY, USA: Association for Computing Machinery; 2016doi: 10.1145/2967934.2968082

19. Hawkins RP, Kreuter M, Resnicow K, Fishbein M, Dijkstra A. Understanding tailoring in communicating about health. *Health Educ Res*. 2008;23(3):454–466. doi: 10.1093/her/cyn00420. Deterding S, Dixon D, Khaled R, Nacke L. From game design elements to gamefulness: defining “gamification.” *Proceedings of the 15th International Academic MindTrek Conference: Envisioning Future Media Environments [Internet]*, New York, NY, USA: Association for Computing Machinery; 2011 doi: 10.1145/2181037.2181040

21. Hamari J, Koivisto J, Sarsa H. Does Gamification Work? A Literature Review of Empirical Studies on Gamification. *Proceedings of the 47th Hawaii International Conference on System Sciences 2014*. doi: 10.1109/HICSS.2014.377

22. Harding TS, Mayhew MJ, Finelli CJ, Carpenter DD. The Theory of Planned Behavior as a Model of Academic Dishonesty in Engineering and Humanities Undergraduates. *Ethics & Behavior Routledge*; 2007;17(3):255–279. doi: 10.1080/10508420701519239

23. Ajzen I. The theory of planned behavior. *Organizational Behavior and Human Decision Processes*. 1991;50:179–211. doi: 10.1016/0749-5978(91)90020-T

24. Eysenbach G. Improving the Quality of Web Surveys: The Checklist for Reporting Results of Internet E-Surveys (CHERRIES).

J Med Internet Res. 2004 Sep 29;6(3):e132. doi: 10.2196/jmir.6.3.e34

25. Gosetto L. Impact de la présentation d'affiches personnalisées en fonction du Big-Five sur l'intention de don du sang. University of Geneva; 2018

26. Courtois R, Petot J-M, Plaisant O, Allibe B, Lignier B, Réveillère C, Lecocq G, John O. Validation française du Big Five Inventory à 10 items (BFI-10). *L'Encéphale*. 2020;46(6):455–462. doi: 10.1016/j.encep.2020.02.006


27. Anagnostopoulou E, Magoutas B, Bothos E, Schrammel J, Orji R, Mentzas G. Exploring the Links Between Persuasion, Personality and Mobility Types in Personalized Mobility Applications. *Int Conference on Persuasive Technology*. 2017. doi: 10.1007/978-3-319-55134-0_9

28. Haugtvedt CP, Petty RE. Personality and persuasion: Need for cognition moderates the persistence and resistance of attitude changes. *J Personality and Social Psychology*. 1992;;63(2):308. doi: 10.1037/0022-3514.63.2.308


29. Johnson D, Gardner J. Personality, motivation and video games. *ACM Int Conference Proceeding Series*. 2010;276–279. doi: 10.1145/1952222.1952281

30. Alkiş N, Taşkaya Temizel T. The impact of individual differences on influence strategies. *Personality and Individual Differences*. 2015 ;;87:147–152. doi: 10.1016/j.paid.2015.07.037

Supplementary Files




Figures



Example of screenshots of the prototype app, including the (A) functionality competition, (B) functionality level and progression, (C) functionality social network.



Multimedia Appendixes



Presentation of the functionalities selected for our conceptual framework with their definitions and description of the screenshot.
URL: <http://asset.jmir.pub/assets/de1552af790be95f868872efdc6a8bc5.pdf>

Print version of the online questionnaire.

URL: <http://asset.jmir.pub/assets/825f0098041348a7a9bddbb13c5c9f10.pdf>



CONSORT (or other) checklists

CHERRIES checklist.

URL: <http://asset.jmir.pub/assets/0bc79cc392f0f63e1c8bae509318a063.pdf>