# **ENVIRONMENTAL RESEARCH**

# LETTERS

#### **TOPICAL REVIEW • OPEN ACCESS**

# Mapping the landscape of climate services

To cite this article: Francesca Larosa and Jaroslav Mysiak 2019 Environ. Res. Lett. 14 093006

View the article online for updates and enhancements.

# Recent citations

- Giulia Villani et al
- A User-centered Decision Support System for Climate Change Adaptation Planning Jung Hee Hyun et al
- Refocusing the climate services lens: Introducing a framework for co-designing "transdisciplinary knowledge integration processes" to build climate resilience Elizabeth Daniels et al

# **Environmental Research Letters**



# **OPEN ACCESS**

#### RECEIVED

21 February 2019

17 June 2019

ACCEPTED FOR PUBLICATION 5 July 2019

18 September 2019

Original content from this work may be used under the terms of the Creative Commons Attribution 3.0

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation



#### **TOPICAL REVIEW**

# Mapping the landscape of climate services

Francesca Larosa<sup>1,2</sup> and Jaroslav Mysiak<sup>1,2</sup>

- 1 Risk Assessment and Adaptation Strategies, Euro-Mediterranean Centre on Climate Change (CMCC), Venice, Italy
- <sup>2</sup> Ca' Foscari University of Venice, Venice, Italy

E-mail: francesca.larosa@cmcc.it

Keywords: climate innovation, climate services, bibliometrics, network science, climate adaptation

Supplementary material for this article is available online

#### Abstract

Climate services are technology-intensive, science-based and user-tailored tools providing timely climate information to a wide set of users. They accelerate innovation, while contributing to societal adaptation. Research has explored the advancements of climate services in multiple fields, producing a wealth of interdisciplinary knowledge ranging from climatology to the social sciences. The aim of this paper is to map the global landscape of research on climate services and to identify patterns at individual, affiliation and country level and the structural properties of each community. We use a sample of 358 records published between 1974 and 2018 and quantitatively analyze them. We provide insights into the main characteristics of the community of climate services through Bibliometrics and complement these findings with Network Science. We have computed the centrality of each actor as derived from a Principal Component Analysis of 42 different measures. By exploring the structural properties of the networks of individuals, institutions and countries we derive implications on the most central agents. Furthermore, we detect brokers in the network, capable of facilitating the information flow and increasing the cohesion of the community. We finally analyze the abstracts of the sample via Content Analysis. We find a progressive shift towards climate adaptation and usercentric visions. Agriculture and Energy are the top mentioned sectors. Anglophone countries and institutions are quantitatively dominant, and they are also important in connecting different discipline of the network of scholars, by building on established partnerships. Finding that nodes facilitating the diffusion of information flows (the brokers) are not necessarily the most central, but have a high degree of interdisciplinarity facilitating interactions of different communities. Social media abstract. #WhoisWho in #climateservices? A comprehensive map of research in #Europe and beyond

#### 1. Introduction

Social and technological innovation is a vital part of adaptive capacity (Cohen et al 2016). Innovation embedded in, or pursued by means of, climate services is conducive to a better management of climate risks (Brooks 2013). Climate services entail 'transformation of climate-related data into customized products such as projections, forecasts, information, trends, economic analysis, assessments (including technology assessment), counseling on best practices, development and evaluation of solutions and any other service in relation to climate that may be of use for the society at large' (Directorate-General for Research and Innovation, E C 2015). Several European and international initiatives have stimulated a vibrant community: third World Climate

Conference (in 2009), the Climate Services Partnership (in 2011), the International Conference on Climate Services (in 2011), the Global Framework of Climate Services (in 2012), the European Roadmap for Climate Services (in 2015), and the Climate Services for Resilient Development Partnership (in 2017). Climate services can improve efficiency and speed innovative methods and processes in agriculture (Amissah-Arthur 2003, Stigter 2008, Lechthaler and Vinogradova 2017, Li et al 2017), food security (Vogel and O'Brien 2006), disaster risk reduction (van den Hurk et al 2016), urban planning (Jones et al 2017, Lindberg et al 2018), health (Goddard et al 2010, Bruno Soares et al 2017), tourism (Scott and Lemieux 2010, Scott et al 2011), and other climatesensitive sectors.

Climate services (i) are technology-intensive and draw on coding, protocols, systems and devices; (ii) employ action-driven research, connecting science, business and policy; (iii) share processes and workflows for climate-smart decisions. It is important to trace not only the wealth of research outputs such as publications or patents, but also collaboration networks that have jointly produced these outputs. Coauthorship is a proxy of joint innovation and cooperation between institutions and experts. Hence, network analysis is useful to explore the centrality and power relation ship driving innovation. Content analysis (CA) on the other hand sheds light on most salient concepts.

In this paper we map the research on climate services. We explore productivity patterns, time-evolution of fields of interest, and structural properties of co-authorship networks at the individual, organization and country level. We use a sample of 358 bibliographic records published between 1974 and 2018 and retrieved from the Scopus database in January 2019. We characterize the interactions of individual scholars and institutions by combining Bibliometrics, Network Analysis and CA. This work contributes to the existing literature in two ways. First, it provides a comprehensive mapping of actors and topics in the domain of climate services and, hence, climate innovation. Second, it offers an original methodological approach to study node centrality and combine bibliometrics and network science. The work is organized as follows. Section 2 describes the framework, data and methods used. Section 3 presents the results by (i) giving insights into the conceptual structure through bibliometrics; (ii) elaborating the social structure of interactions within the network of individuals, institutions and countries; (iii) assessing the most important concepts of the fields of interest over the considered timeframe. Section 4 concludes with the limitations of our approach and provides reflections on future extension.

## 2. Materials and methods

# 2.1. Data and methods

Our framework combines bibliometrics, network and CA in a consistent approach that aims at uncovering the conceptual and social structure of the network in which research is produced. This stepwise procedure makes it possible to check and validate at multiple stages the quality of the analysis and the correctness of the results (figure 1).

The bibliographic sample was retrieved from the Elsevier's Scopus (www.scopus.com) by querying a combination of keywords<sup>3</sup>. The same query run on Web of Science (www.webofknowledge.com) resulted


in lower number of records. The query yielded records from 1974 until 2019. Irrelevant records were removed from the sample (see supplementary material).

We used bibliometrics to describe the corpus of publications. Network Analysis and CA were, instead, deemed the most appropriate tools to assess the social and conceptual structure of the records included. Bibliometrics has been used to study the evolution of a given field, as well as to characterize the polarization of different topics and institutions. In the climate change domain, a recent analysis based on 222 060 papers published between 1980 and 2014 identified an exponential increase and a strong presence of vulnerability and adaptation-related concepts among the most cited documents (Haunschild et al 2016). Research on impacts of climate change that goes beyond the natural sciences domain has intensified since 2005 (Haunschild et al 2016). Furthermore, bibliometrics is often deemed appropriate to assess the role of interdisciplinarity in fostering the creation of new ideas, by looking in-depth at the composition of research teams and at their expertize (Ma et al 2015), as well as the exchanges between disciplines (Youngblood and Lahti 2018).

To study the social structure of co-authorship, we derived co-authorship relationships at individual and institutional level and to perfor a network analysis. A network is a catalog of components V(.) —the nodes or vertices—interacting within a system and connected through *links* or *edges* E(.). It is mathematically represented as a graph that can describe the complexity behind the individual node's behavior and the interaction between different nodes (Barabasi 2016). NA has been successfully applied to study the drivers of social consensus (Baronchelli 2018), as well as in analyzing social sciences (Borgatti et al 2009) and the emergence of social dynamics (Castellano et al 2009). We characterized agents on the basis of their 'importance' (centrality), by exploring the giant component of each network. This is the highest connected portion of the general graph. Given the wealth of existing centrality measures, we performed a Principal Component Analysis (PCA) on 42 metrics. We reduced the dimensionality to five and four main components, which explain more than 80% of the total variance (see supplementary material) respectively in the individual scholar and institution and country case respectively. Moved by the idea that 'structure matters' (Newman 2003, Newman and Girvan 2004, Barabasi 2016), we aimed at detecting communities—meant as groups or clusters of nodes connected to each other than to nodes belonging to different groups—to understand how science and research on climate services move within the network of the actors involved.

Community detection is vital when studying the structural features of a network. First, highly connected nodes could share interests or preferences. Second, agents within the same community may have

<sup>&</sup>lt;sup>3</sup> 'Climate services' AND 'Climate Services' AND 'climate service' AND 'Climate Service'. We also run an alternative query ('climate service\*') to check on the validity of our first search.



Content Analysis and offers opportunities to revise and verify the process.


a privileged access to information and opportunities. Therefore, the investigation of structural properties at network level can reveal some important information about the mechanisms behind collaboration and diffusion patterns. There is no single unambiguous definition of what communities are. This has important implications:climate services employ knowledge from climatology and physics, but also from the information sciences, economics, business and sociology. Communities are nested and interlinked—often overlapping. The study of their structure offers insights into the research on climate services: insights from different disciplines are combined. The relevance of community detection has produced a wealth of algorithms and methods to facilitate identifying different groups. We performed the Newman-Girvan algorithm, the Spectral community algorithm, the Greedy algorithm and the Louvain method separately obtaining different community partitions (see supplementary material). Hence, we compared their performance using modularity as criterion. This measure represents the 'the fraction of the edges that fall within the given groups minus the expected fraction if edges were distributed at random' (Li and Schuurmans 2011). We employed the community structure with maximal modularity among the four computed algorithms.

Finally, we characterized individuals based on their capacity to influence the network they are embedded in. We aimed at detecting brokers that allow research insights on climate services to travel within the network. These 'connectors' act through two channels: (i) if removed from the network, their absence cause a significant drop in the cohesion of the graph; (ii) they are seeds for the diffusion of habits,

methods, ideas and information (Borgatti 2006). Hence, key players may be more efficient in spreading novelties rather than highly central nodes. We implemented the Greedy search algorithm to look for the optimal number of key players and to overcome computational challenges. The algorithm selects an initial set of nodes as seeds. By continuously and iteratively swapping between selected and unselected nodes, the protocol computes if and how much group centrality increases (details in supplementary material).

We further investigated the thematic evolution of climate services combining two approaches. We performed CA on the set of abstracts and titles included in the database. CA transforms non-numerical material into quantitative information. It is the systematic analysis of textual, visual and audio inputs to identify regularities and patterns in a corpus of matters (Krippendorff 2004). The output of this effort lay in the dynamic characterization of top mentioned terms throughout the timeframe. CA also served as input for co-word analysis. This methodology links science mapping and bibliometrics to grasp connections in textual material (Cobo et al 2011) and provides a thematic map that spatially allocate topics on a 1:2 plane.

The integration of different disciplines—from scientometrics to CA—is an original feature of this work. By including tools from network science to a bibliometric database, we assess the social structure of individual scholars, institutions and countries. Finally, we move beyond existing metrics of the success of a scholar (e.g. h-index, m-index, productivity) and analyze both the power (centrality) of each node and the influence this has in driving the information flow.



**Figure 2.** Historiograph of top cited articles, represented as a directed graph. Nodes' size is equivalent to number of citations; colors are assigned according to citing references. The position along the *y*-axis is justified only by layout needs. The multidisciplinary character of the top cited records highlights the importance of knowledge exchange across scientific fields. Hewitt *et al* 2012 refers to the GFCS: this publication offered direction and guidelines to the research community and provided a global perspective on climate services. It is the most cited record of the sample.

#### 3. Results

#### 3.1. Bibliometric analysis


Our sample includes a corpus of 363 bibliometric records, published between 1974 and 2018 in 187 sources (journals and books) by 1351 authors from 234 institutions in 72 countries. Research articles (54.54 percent), conference proceedings (14.8 percent), reviews (5 percent) and book chapters (5 percent) make up most of the records. Research on climate services has grown in numbers with an annual growth rate of 14.67 percent, with a sizeable acceleration between 2005 and 2010. The peak (figure 1S is available online at stacks.iop.org/ERL/14/093006/mmedia) coincides with the World Climate Conference-3 (2009) and the launching of the Global Framework for Climate Services (in 2012). In-between, the first International Conference on Climate Services (2011) marked an important milestone: the conference launched the Climate Service Partnership (CSP) to boost development of climate services. The Earth and Planetary Sciences (35.3%) and the Environmental Sciences (28.9%) are dominating the sample and are also the most time-consistent disciplines across time. The Social Sciences (12.6%), the Agricultural and Biological Sciences (4.6%) and Engineering (3.1%) follow suit. Economics, Econometrics and Finance (1.0%) are represented starting from 2010. Anglophone authors and institutions dominate the sample. Multi-country collaborations are prevalent: while the authors from the United States mostly publish on their own, the overall trend is a collaborative research across borders (figure 4S). The most productive authors per number of published records are more diverse: 20% have a

background in the Environmental Sciences, 20% in the Social Sciences and the remaining 60% in the Physical Sciences. Despite the heterogeneous cohort of actors involved, climatologists, physicists, and numerical modelers are widely recognized as the most central when it comes to climate services.

#### 3.2. The conceptual structure

The science of climate services has roots in climatology and meteorology but as innovation has become more user-centric oriented, the social science disciplines are more frequently represented and the articles pay more attention to clients' knowledge requirements and the value unleashed by climate services. Literature has responded to this trend by exploring the barriers and opportunities from multidisciplinary angles. The historical citation analysis documents this shift: the most cited articles belong to a more recent body of research (Miles *et al* 2006, Hewitt *et al* 2012, Vaughan and Dessai 2014) addressing co-design and co-development of national climate services (figure 2).

The most frequent keywords (figure 5S) include 'climate change' (365), 'decision making' (236) and 'forecasting' (214) display a fairly steep trajectory since 2001 onwards. The future-oriented keywords dominate, whereas 'observations' or 'reanalysis' are not among the first 100 concepts. 'Seasonal forecasts' gained on popularity, especially in the past eight years. 'Multidisciplinarity' and 'adaptation' have received progressively more attention: the temporal analysis of abstracts shows that 'carbon' and 'emission-related' topics were more popular in early 2010s, while 'usertailored', 'forecast skills' and sector-specific topics nowadays prevail. 'Adaptation measures' are strongly



**Figure 3.** (a) A onceptual map extracted from Multiple Correspondence Analysis (MCA) of the abstract keywords. Words that co-occurred more than 5 times are represented on a 1:2 plane. The two dimensions can be interpreted as different degrees of multidisciplinarity: dimension 1 is highly connected to the physical and natural science domain while Dimension 2 includes the application of inter-related topics, spanning from sector-specific dynamics to domains of work.

related to 'risk management' and 'decision making' and require 'climate modeling' and sector-specific studies. Instead, articles related to meteorology and climatology contribute to scientific advancements of services, but they are still close linked to essential climate variables (figure 3).


# 3.3. The social structure

We transformed the bibliographic records in undirected graphs (or networks) of co-authorship ( $N_{ind}$ ), collaborating organizations ( $N_{aff}$ ) and countries ( $N_{co}$ ). The network has a small-world property with tightly interconnected clusters of nodes and most nodes can be reached from any other node through few steps (Mehlhorn and Schreiber 2013) ( $SMIndex_{ind} = 7.91 > 3$ ). The giant component contains 613 nodes and 4326 edges. The network is loosely connected (density = 0.024). On average, each author is connected through 15.093 links (i.e. average degree) to 4.55 scholars (i.e. average path length). The probability of two adjacent nodes being connected (i.e. clustering coefficient) is 82.26%. We performed a PCA on 42 standardized centrality measures. The first five components (figure 4(a)) explain 86.1% of the total variance. Buontempo happens to be the central agent, directly connecting 21.70% of the

nodes and 29.25% of the edges. He is also connecting some of the most productive scholars per number of papers.

The community detection protocol produced four different partitions—each per algorithm performed. We compared the modularity scores by means of Louvain method (table A), obtaining 19 communities.

The network of individuals is a set of complex interactions. Nodes' size is equal to the contribution of each agent to the first five dimensions of the PCA and colors correspond to communities as derived from the Louvain method. The most central authors (figure 5(a)) are located in five communities, (the largest) and only three of them (Buontempo, Hewitt and Kumar) are listed among the most productive authors (per number of papers). Hence, quantity is not an automatic predictor of the 'power' of agents, but rather a complementary feature. Two big communities are polarizing the network. The central group (orange) is deeply connected: authors are linked through a number of publications, one of which contributed to the scientific knowledge around sub-seasonal forecasts (White et al 2017). The purple cluster (community 1) embraces authors involved and bounded in a European project ERA-CLIM2, under the Seventh Framework Program (Buizza et al 2018).



**Figure 4.** (a) Representation of eigenvalues. The percentages represent the portion of variance contained in the data explained by components; (b) centrality measures included in the PCA are represented according to the degree of correlation with the different dimensions. Dark blue colors represent higher correlation.




Figure 5. (a) The individual scholars' network. Colors represent communities as deducted by the Louvain method. Node sizes gives the centrality of each author, as derived from the PCA; Buontempo C (412) is the most central, followed by Kumar (614), Wintzer (494), Hewitt (5), Webb (881), Schulz (295), Kjellström (623), Jack (939), Zebiak (636), Brönniman (249), Jourdain (256), Ray (317), Brown (630), Doblas-Reyes (8) and Blaschek (275). (b) The keyplayers represented with their own communities. The top 20 are (ranked in decreasing order): Kolli (366), Baklanov (196), Daly (1), Vincent (0), Brown (630), Buontempo (412)., Grimmond (78), Jacob (6), Schulz (295), Kumar (614), Ray (317), Soubeyroux (425), Jack (939), Vaughan (341), Vautard (702), Hewitt (5), Kjellström (623), Coughlan De Perez (103), Guido (343) and Zebiak (636).

We measured the contribution of each node to maintain the cohesiveness of the graph, as suggested by Borgatti (2006). The top influential nodes (key players) do not entirely correspond to the most central ones (figure 5(b)). Indeed, the set of key players includes some 'bridging' scholars: they link different communities co-authoring with well-known and highly recognized authors. The key players are mostly involved in advancing numerical models, predictions and physical sciences, but are also active in providing inputs about decision-making and user engagement. Hence, they do not just connect distant communities, but they also embody the conceptual framework in which climate services have been developed. They are

'brokers' of knowledge generated throughout the network: by working as bridges both the physical and the content level, they facilitate the information flow.

The institutional network  $N_{inst}$  (figure 6(a)) contains 234 nodes and 1578 edges. The network is more cohesive than the individual one  $N_{ind}$  with density equal to 0.057. The nodes are also closer (diameter = 6). The average degree is 13.487 and each affiliation is linked to 2.750 (i.e. average path length). The average clustering coefficient is very high: 85.80% (higher than  $N_{ind}$ ). We followed the same methods as for  $N_{ind}$  to detect centrality, community structure and degree of influence. Centrality is the contribution of each institutions to the first four dimensions, which explain 86.8% of the total




Figure 6. (a) The network of institutions. Colors represent different communities (Louvain method). Node sizes are equivalent to the outcome of the PCA; (b) The most influential institutional actors. Nodes' size is derived from Borgatti (2006).

variance of the sample. The top institution is Columbia University, with a centrality score of 4.358 (21.79% of the overall network and 28.14% of the overall edges), followed by University of Reading (3.687), University of Oxford (1.476), Desert Research Institute (1.422), University of East Anglia (1.404) and University of Helsinki (1.234). As for  $N_{ind}$ , the Louvain method has the highest modularity. The algorithm found 13 communities: the largest (community 6) has 31 members, while the smallest (community 1, 3 and 8) have only 7. The geographical location of institutions included in the sample appear in  $N_{inst}$  is relevant: African universities are clustered in the same group as the Chinese research institutes. German speaking and Belgian institutions have a tight connection. English-speaking (UK and USAbased) affiliations are cooperating with a heterogeneous set of actors: Columbia University is clustered together with other American institutes, but also co-publishes with the London School of Economics and the Swedish Meteorological and Hydrological Institute. The University of Reading has, instead, a strong European basin of co-publications, but the community it belongs to also includes the NASA Goddard Institute for Space Studies and Colorado State University.

The set of key players (figure 6(b)) in the network is, as for  $N_{ind}$  different from the most central ones and provides the ground for some insightful considerations. The most influential node occurs for the University of Nairobi, which acts as connector of extra-EU countries mainly located in Africa or China, with European and American institutions. The reasons for this may be related to the IGAD Climate Prediction and Applications Centre, where teams of researchers work on short, medium and long-term products and

applications. Also, the Joint Research Center has a role in bridging knowledge around climate services produced in different areas of the world facilitating the diffusion of information, reducing distances in the network and increasing cohesiveness. Given the widespread collaborations that the UK Met Office carries on, its influence in spreading ideas and knowledge on climate services increases exponentially if compared with the centrality metrics. Not surprisingly, other well-established research institutions are listed among the top ten influential of the network (the National Center for Atmospheric Research and ECMWF). The top ones are not just providers of climate information services, but also producers of climate data. Furthermore, interactions seem to depend very much on the level of economic development: African, South American and Asian institutions are closely bonded. Our analysis delivers a polarized picture that is possibly driven by project funding and calls for deeper analysis.

### 4. Conclusions

In this article we have mapped the research on climate services by analyzing a sample of articles published between 1974 and 2018. The results provide an overview of the most relevant topics explored by the pool of scholars and institutions, as well as the social interactions that shape co-authorship. Scientific production on climate services is higher than expectations: the interest has been stimulated by the launch of multiple international initiatives. Their action-driven component allowed has climate services to progressively shift from mitigation towards adaptation. Hence, they are used as science-based tools capable of

supporting decision-making by building on interdisciplinary expertize.

We found there is no perfect match between productivity (quantity) and centrality as derived from the PCA. Despite the high degree of interdisciplinarity, only one author has a background outside the physical sciences (Wintzer). At the institutional level, the universities are more frequently represented than the research centers. Our analysis also provides details about bridging agents in the network: these actors are crucial in brokering information and speed up the diffusion of information, reducing fragmentation in the network. At author level, the set of key players produce knowledge about the physical sciences and decisionmaking. Hence, with their scientific production, they contribute to filling the gap between provider and users. Institution-wise, the higher the geographic and field heterogeneity within a single publication, the stronger the influence within the network. Hence, interdisciplinarity is an asset for promoting the reception of ideas, especially when it comes to user needs, information value, risk assessment and sector-specific adaptation. Institutes that provide inputs to build fully operational climate services are among the most influential (University of Nairobi, Joint Research Center, Met Office).

Our paper makes several novel contributions. First, we combine bibliometrics, network and CA in a consistent framework, making it possible to explore the conceptual and social structure of the networks of individual and institutional actors. Second, we analyze the structural properties of the field.

We acknowledge some limitations. Our query drives our bibliographic sample. First, climate services are not univocally defined, and they have formally received attention only since 2011, while we have included documents published from 1974 onwards. However, their definition has always been willingly broad: the keywords we used to perform the query allow for maximum heterogeneity and are aligned to the flagship initiatives promoted to unleash climate services' potential (Barron 2001, World Meteorological Organization, W 2009, Street et al 2015). Second, the bibliographic databases—such as Scopus —are biased towards English-based records. Also, our sample is populated by peer-reviewed material only, leaving nationally-relevant reports, protocols and regulations out. Third, climate services often include other products and platforms, such as decision-support systems, hydro-meteorological services and even weather services. We considered 'climate services' as the most general and policy-oriented term, capable of capturing the whole period under study, but strongly related to recent initiatives. Finally, we acknowledge that our sample is entirely focused on peer-reviewed scientific records and excludes other initiatives and development. Hence, our contribution is not meant to be exhaustive and calls for further research to complement global mapping.

# Acknowledgments

This research was funded by the CLARA Project under the European Union's H2020 Framework Programme for research and innovation, grant Agreement No. 730482.

#### **ORCID** iDs

Francesca Larosa https://orcid.org/0000-0002-4350-8790

Jaroslav Mysiak https://orcid.org/0000-0001-9341-7048

### References

Amissah-Arthur A 2003 Targeting climate forecasts for agricultural applications in sub-saharan Africa: situating farmers in userspace *Clim. Change* **58** 73–92

Barabasi A-L 2016 Network Science 4th edn (Cambridge: Cambridge University Press)

Baronchelli A 2018 The emergence of consensus: a primer *R. Soc. Open Sci.* 5 172189

Barron E J 2001 A Climate Services Vision: First Steps Toward The Future (Board on Atmospheric Sciences and Climate) (Washington, DC: The National Academies Press)

Borgatti S P 2006 Identifying sets of key players in a social network Comput. Math. Organ. Theor. 12 21–34

Borgatti S P et al 2009 Network analysis in the social sciences Science 323 892-5

Brooks M S 2013 Accelerating innovation in climate services: the 3 E's for climate service providers *Bull. Am. Meteorol. Soc.* **94** 807–19

Bruno Soares M, Alexander M and Dessai S 2017 Sectoral use of climate information in Europe:a synoptic overview *Clim.* Serv. 9 5–20

Buizza R et al 2018 The EU-FP7 ERA-CLIM2 project contribution to advancing science and production of earth system climate reanalyses Bull. Am. Meteorol. Soc.  $99\,1003-14$ 

Castellano C, Fortunato S and Loreto V 2009 Statistical physics of social dynamics *Rev. Mod. Phys.* **81** 591–646

Cobo M J et al 2011 An approach for detecting, quantifying, and visualizing the evolution of a research field: a practical application to the Fuzzy Sets Theory field J. Informetr. 5 146–66

Cohen P J et al 2016 Understanding adaptive capacity and capacity to innovate in social-ecological systems: applying a gender lens *Ambio.* 45 (Suppl 3) 309–21

Directorate-General for Research and Innovation, E C 2015

European roadmap for Climate Services (Brussels: European
Commission)

Goddard L et al 2010 Providing Seasonal-to-interannual climate information for risk management and decision-making Procedia Environmental Sciences (Elsevier B.V.) pp 81–101

Haunschild R, Bornmann L and Marx W 2016 Climate change research in view of bibliometrics *PLoS One* 11 e0160393 Edited by W Glanzel.

Hewitt C, Mason S and Walland D 2012 The global framework for climate services Nat. Clim. Change 2 831-2

Jones L et al 2017 Constraining and enabling factors to using longterm climate information in decision-making Clim. Policy 17 551–72.

Krippendorff K 2004 Content Analysis: an Introduction to its Methodology SAGE Publications (Thousand Oaks, CA: SAGE Publications)

Lechthaler F and Vinogradova A 2017 The climate challenge for agriculture and the value of climate services: application to coffee-farming in Peru Eur. Econ. Rev. 99 5–30

Li W and Schuurmans D 2011 Modular community detection in networks *Proc. Twenty-Second Int. Joint Conf. on Artificial* 

- Intelligence (https://ijcai.org/Proc./11/Papers/231.pdf) (Accessed: 21 January 2019)
- Li Y, Giuliani M and Castelletti A 2017 A coupled human-natural system to assess the operational value of weather and climate services for agriculture *Hydrol. Earth Syst. Sci.* 21 4693–709
- Lindberg F *et al* 2018 Urban multi-scale environmental predictor (UMEP): an integrated tool for city-based climate services *Environ. Modelling Softw.* **99** 70–87
- Ma A, Mondragón R J and Latora V 2015 Anatomy of funded research in science *Proc. Natl Acad. Sci. USA* 112 14760–5
- Mehlhorn H and Schreiber F 2013 Small-World Property BT— Encyclopedia of Systems Biology ed W Dubitzky et al (New York, NY: Springer) 1957–9
- Miles E L et al 2006 An approach to designing a national climate service Proc. Natl Acad. Sci. USA 103 19616–23
- Newman M E J 2003 The structure and function of complex networks Soc. Ind. Appl. Math. 45 167–256
- Scott D and Lemieux C 2010 Weather and climate information for tourism *Procedia Environ. Sci.* 1 146–83
- Scott D J, Lemieux C J and Malone L 2011 Climate services to support sustainable tourism and adaptation to climate change Clim. Res. 47 111–22

- Stigter K 2008 Policy support for capacity building in weather and climate services focused on agriculture *J. Agrometeorol.* **10** 107–11
- van den Hurk B J J M *et al* 2016 Improving predictions and management of hydrological extremes through climate services *Clim. Serv.* 16–11
- Vaughan C and Dessai S 2014 Climate services for society: origins, institutional arrangements, and design elements for an evaluation framework *Wiley Interdiscip. Rev. Clim. Change* 5 587–603
- Vogel C and O'Brien K 2006 Who can eat information? Examining the effectiveness of seasonal climate forecasts and regional climate-risk management strategies Clim. Res. 33 111–22
- White C J et al 2017 Potential applications of subseasonal-toseasonal (S2S) predictions Meteorol. Appl. 24 315–25
- World Meteorological Organisation, W 2009 Climate knowledge for action: a global framework for climate services. (https:// wmo.int/gfcs/sites/default/files/FAQ/HLT/HLT\_FAQ\_ en.pdf) (Accessed: 28 June 2017)
- Youngblood M and Lahti D 2018 A bibliometric analysis of the interdisciplinary field of cultural evolution Palgrave Commun.~4~120